




Applanation Tonometer
T170

Gold Standard, Accurate Measurement



Accurate Measurement

With years of tests and clinical applications, Goldmann has been proved to be the the gold standard for tonometry measurement. Based on the proven evidence, MediWorks T170 tonometer applied Goldmann principle in the design and manufacture.

With precision manufacturing process, MediWorks applanation tonometer offers accurate and consistent measurements which give a clear picture of patients' IOP situation to the doctors.



Excellent Mechanics

Full attentions are paid to every detail in the manufacture of MediWorks tonometers. Workers assemble every component carefully and check tight tolerances in weight to make sure the tonometer deliver consistent measurements.



Premium Optics


The prism on the tonometer is the key to accurate measurement. In MediWorks, our skillful workers make these prisms with great care and follow strict quality standards. We offer 3 pcs of prisms in standard package making MediWorks tonometers durable in long term use.

Accessories




Tonometer Adaptor (T type)
(For T type applanation tonometer)

(Available for S260/S260S/S280/S280S/S350/
S350S/S350C/S360/S360S/S390H/S390L)



Tonometer Adaptor (R type)
(For R type applanation tonometer)

(Available for S350/S350S/S350C/
S360/S360S/S390H/S390L)



Tonometer Adaptor (870 type)
(For 870 type applanation tonometer)

(Available for S260/S260S/S280/S280S)



Specification

T170

Range of Measurement	0mmHg~ 80mmHg (0 kPa~10.64kPa)
Moving Range of the Rings	1.53x2=3.06mm
Prism Diameter	7mm
Moving Range of Prism	± 1.5mm
Dimension	290mmx170mmx110mm
Net Weight	500g (T Type) 800g (R Type)



FDA Approval

Shanghai MediWorks Precision Instruments Co.,Ltd.

Add:Zone A,2nd Floor,No.69,Lane 1985,Chunshen Road,Minhang District,
Shanghai,200237,China

Tel: +86-21-54260421 54260423 Fax:+86-21-54260425

Email: international@mediworks.biz

Follow Us on



www.mediworks.biz

201608B *Subject to change in design or specification without advance notification

Details Make the Difference